

# Mapping Simple Polygons: The Power of Telling Convex from Reflex

JÉRÉMIE CHALOPIN and SHANTANU DAS, LIF, CNRS & Aix-Marseille University  
YANN DISSER, MATÚŠ MIHALÁK, and PETER WIDMAYER, ETH Zurich

We consider the exploration of a simple polygon  $\mathcal{P}$  by a robot that moves from vertex to vertex along edges of the visibility graph of  $\mathcal{P}$ . The visibility graph has a vertex for every vertex of  $\mathcal{P}$  and an edge between two vertices if they see each other—that is, if the line segment connecting them lies inside  $\mathcal{P}$  entirely. While located at a vertex, the robot is capable of ordering the vertices it sees in counterclockwise order as they appear on the boundary, and for every two such vertices, it can distinguish whether the angle between them is convex ( $\leq \pi$ ) or reflex ( $> \pi$ ). Other than that, distant vertices are indistinguishable to the robot. We assume that an upper bound on the number of vertices is known.

We obtain the general result that a robot exploring any locally oriented, arc-labeled graph  $G$  can always determine the *base graph* of  $G$ . Roughly speaking, this is the smallest graph that cannot be distinguished by a robot from  $G$  by its observations alone, no matter how it moves. Combining this result with various other techniques allows the ability to show that a robot exploring a polygon  $\mathcal{P}$  with the preceding capabilities is always capable of reconstructing the visibility graph of  $\mathcal{P}$ . We also show that multiple identical, indistinguishable, and deterministic robots of this kind can always solve the weak rendezvous problem in which they need to position themselves such that they mutually see each other—for instance, such that they form a clique in the visibility graph.

Categories and Subject Descriptors: F.2.2 [Analysis of Algorithms and Problem Complexity]: Nonnumerical Algorithms and Problems—*Computations on discrete structures*; F.2.2 [Analysis of Algorithms and Problem Complexity]: Nonnumerical Algorithms and Problems—*Geometrical problems and computations*; G.2.2 [Discrete Mathematics]: Graph Theory—*Graph algorithms*

General Terms: Algorithms, Theory

Additional Key Words and Phrases: Polygons, robots, mapping, visibility graphs, rendezvous, angles

## ACM Reference Format:

Jérémie Chalopin, Shantanu Das, Yann Disser, Matúš Mihalák, and Peter Widmayer. 2015. Mapping simple polygons: The power of telling convex from reflex. *ACM Trans. Algor.* 11, 4, Article 33 (April 2015), 16 pages. DOI: <http://dx.doi.org/10.1145/2700223>

## 1. INTRODUCTION

Autonomous mobile robots are used for various tasks, such as cleaning, guarding, and data retrieval, in unknown environments. Many tasks require coordination of the

---

A preliminary version of this article appeared in *Proceedings of the 28th International Symposium on Theoretical Aspects of Computer Science (STACS'11)*.

Authors' addresses: J. Chalopin and S. Das, LIF, CNRS et Aix-Marseille Université, Parc Scientifique et Technologique de Luminy, 163, avenue de Luminy, 13288 Marseille Cedex 9, France; emails: {jeremie.chalopin, shantanu.das}@lif.univ-mrs.fr; Y. Disser, Fakultät II - Mathematik und Naturwissenschaften, Institut für Mathematik, Sekr. MA 5-2, Technische Universität Berlin, Straße des 17. Juni 136, 10623 Berlin, Germany; email: disser@math.tu-berlin.de; M. Mihalák and P. Widmayer, Institute of Theoretical Computer Science, ETH Zurich, 8092 Zurich, Switzerland; emails: {matus.mihalak, widmayer}@inf.ethz.ch.

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies show this notice on the first page or initial screen of a display along with the full citation. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, to republish, to post on servers, to redistribute to lists, or to use any component of this work in other works requires prior specific permission and/or a fee. Permissions may be requested from Publications Dept., ACM, Inc., 2 Penn Plaza, Suite 701, New York, NY 10121-0701 USA, fax +1 (212) 869-0481, or [permissions@acm.org](mailto:permissions@acm.org).

© 2015 ACM 1549-6325/2015/04-ART33 \$15.00

DOI: <http://dx.doi.org/10.1145/2700223>

Table I. Summary of Known Results for Visibility Graph Reconstruction and Open Problems

sensors	initial		results		
	info	movement	solvable	time	source
angles	$n$	boundary	yes	poly	[Disser et al. 2011]
angles	—	boundary	yes	poly	[Disser et al. 2013a]
cvv, boundary angles	$n$	boundary	no		[Bilò et al. 2012]
angle types		boundary	<i>open</i>		
distances		boundary	<i>open</i>		
pebble	—	free	yes	poly	[Suri et al. 2008]
cvv, look-back	—	free	no		[Brunner et al. 2008]
look-back	$\bar{n}$	free	yes	poly	[Chalopin et al. 2011]
angle types, look-back	—	free	yes	poly	[Bilò et al. 2012]
angle types, directions	—	free	yes	poly	[Bilò et al. 2012]
directions	$\bar{n}$	free	yes*	exp	[Disser et al. 2013b]
<b>angle types</b>	$\bar{n}$	<b>free</b>	<b>yes</b>	<b>exp</b>	<b>this article</b>
angle types	—	free	<i>open</i>		
distances		free	<i>open</i>		
<i>no sensors</i>	$n$	free	<i>open</i>		

\*This result holds even for polygons with holes.

robots [Agmon and Peleg 2007; Lin et al. 2007a, 2007b; Suzuki and Yamashita 1999] and exploration of the environment [Das et al. 2007; Katsev et al. 2011; Panaite and Pelc 1999; Suri et al. 2008]. We mainly focus on the latter problem, more precisely on the problem of mapping unknown polygons. However, we also show how a map of the environment can facilitate coordination and allow robots to solve the weak rendezvous problem. The difficulty of the mapping problem depends on the characteristics of the environment itself and on the sophistication of the robots (i.e., on their sensory and locomotive capabilities). A natural question is how much sophistication a robot needs to be able to solve the problem. The ultimate goal is to characterize the difficulty of the mapping problem by finding minimal robot configurations that allow a robot to create a map.

We consider robots operating in environments in the shape of simple polygons. For many tasks, instead of inferring a detailed map of the geometry of the environment, it is enough to obtain the visibility graph. The visibility graph has a node for each vertex of the polygon and an edge connecting two nodes if the corresponding vertices *see each other*—that is, if the straight-line segment between them is contained in the polygon. The goal in this context becomes finding minimal robot models that allow a robot inside a polygonal environment to reconstruct the visibility graph of the environment. The information the robot can gather must be sufficient to *uniquely* infer the visibility graph.

A variety of minimalistic robot models have been studied, focusing on different types of environments and objectives [Ando et al. 1999; Brunner et al. 2008; Cohen and Peleg 2008; Ganguli et al. 2006; Katsev et al. 2011]. The model considered here originates from Suri et al. [2008]. Roughly speaking, our robot is allowed to move along edges of the visibility graph. While at a vertex, the robot sees the vertices visible from its current location in counterclockwise (ccw) order starting with its ccw neighbor along the boundary. Apart from this ordering, the vertices are indistinguishable to the robot. In each move, the robot may select one of them and move to it. The robot has no way of *looking back*—in other words, it has no immediate way of knowing which vertex it came from among the vertices that it sees now. In this work, the robot is assumed to be aware of an upper bound  $\bar{n}$  on the number of vertices  $n$ .

Table I summarizes known results that are based on the robot model used in this work, as well as open problems. Besides employing different sensors, the results differ in the robot's initial knowledge about  $n$ ; its movement capabilities; and in case of

positive results, the running times of the reconstruction algorithms. The first part of the table concerns robots that are restricted to moving only along the boundary. It was shown that even with this severe movement restriction, robots can still reconstruct the visibility graph as long as they can measure the exact angle between any pair of visible vertices [Disser et al. 2011, 2013a]. On the other hand, only measuring the angle between the two neighboring vertices along the boundary is not sufficient, even if the robot can distinguish whether any two visible vertices are neighbors along the boundary (“cvv” in the table) [Bilò et al. 2012].

For robots that move across the polygon (as opposed to along the boundary), it is sufficient to be able to mark a single vertex (e.g., with a pebble) to reconstruct the visibility graph [Suri et al. 2008]. Without this powerful ability, not being capable to look back makes it difficult for the robot to relate the information that it collected so far to subsequent observations. But even with a look-back sensor that allows the ability to identify the vertex the robot came from in its last move, some knowledge of  $n$  is required to solve the reconstruction problem [Brunner et al. 2008; Chalopin et al. 2011]. A direction sensor that measures the angle between the boundary and a global reference direction makes it possible to reconstruct the visibility graph, even in the presence of holes [Disser et al. 2013b]. In this work, we equip the robot with an angle-type sensor that distinguishes convex ( $\leq \pi$ ) from reflex ( $> \pi$ ) angles. It was shown before that even without knowledge of  $n$ , this sensor is powerful enough to allow visibility graph reconstruction as long as it is combined with a look-back sensor or a direction sensor [Bilò et al. 2012]. Here we show that these extra sensors are not required, provided that the robot knows at least a bound on the number of vertices. It remains an open problem whether the angle-type sensor is sufficient even when the robot is restricted to moving along the boundary. Other interesting open problems are whether knowledge of  $n$  on its own is already enough to reconstruct the visibility graph and how a distance sensor may be used for reconstruction.

In contrast to most previous results, our algorithm requires exponential time. This is due to the difficulty of collecting all of the data available via the agent’s sensors. In settings where movement is restricted to be along the boundary, collecting the data essentially requires visiting each vertex once, which allows the corresponding reconstruction algorithms to be quite efficient. Similarly, the agent can systematically collect all data if it has a way to retrace movements (e.g., via look-back sensor). In our setting, it is much more difficult to relate observations made at different vertices, which essentially forces us to try all possible ways of stitching together the collected data. The crucial point is that we can determine the correct relation between the observations, even if this requires exponential time.

In the robot model that we use, robots move along edges of the visibility graph and can locally access some information about the edges. We can model this in the context of general robotic exploration of edge-labeled graphs, where the edge labeling is usually restricted to be locally bijective at every vertex (i.e., no two edges incident to the same vertex have the same label). In this more general context, robots are aware of the degree of the vertex at which they are located as well as the labels of the edges incident to it. In every step, a robot selects an edge and moves to its other end. It is known that two distinct edge-labeled graphs (of the same size) can appear mutually indistinguishable to a robot—that is, the reconstruction problem is not always solvable [Angluin 1980; Boldi and Vigna 2002]. The rendezvous problem is generally not solvable either [Chalopin et al. 2006; Yamashita and Kameda 1996]. In this article, we show that although a robot cannot solve the reconstruction problem in general graphs, it can always infer the *minimum base graph* of a (directed) graph  $G$ —the smallest graph among all graphs indistinguishable from  $G$  by a robot (a thorough discussion of base graphs and their properties can be found in Boldi and Vigna [2002]). This result is of

independent interest. We will see later that polygon exploration can be transformed to the exploration of a particular class of directed, arc-labeled graphs, where both the reconstruction problem and the weak-rendezvous problem become solvable.

Considering that it is impossible to reconstruct general graphs, it is natural to ask how much information a robot can obtain about a graph. This information is encoded in the unique minimum base graph. In general, the mapping from a graph to its minimum base graph is not one-to-one in the sense that there are graphs that share the same minimum base graph. Our question whether a robot with certain capabilities can reconstruct the visibility graph of a polygon can be translated to whether the mapping is one-to-one for the class of visibility graphs with an appropriate labeling. As the main technical contribution of this article, we show that if the labeling locally encodes the convexity information about every angle at a vertex, this mapping becomes one-to-one. In other words, visibility graphs can always be reconstructed from their minimum base graph if the type of every angle (convex or reflex) is known. Combined with the result that a robot can reconstruct the minimum base graph even in general graphs when an upper bound on the number of vertices is given, this solves the reconstruction problem for visibility graphs in this setting.

## 2. THE VISIBILITY GRAPH RECONSTRUCTION PROBLEM

We consider the exploration of a (simple) polygon  $\mathcal{P}$  by a robot that moves from vertex to vertex along straight lines in  $\mathcal{P}$ . Two vertices  $u, v$  that can be connected with a straight line inside  $\mathcal{P}$  (possibly touching its boundary<sup>1</sup>) are said to *see each other*. We define the visibility graph  $G_{\text{vis}} = (V, E)$  of  $\mathcal{P}$  to be a directed graph, where  $V$  is the set of vertices of  $\mathcal{P}$  and there is an arc from  $u$  to  $v$  (and vice versa) if  $u$  and  $v$  see each other. Whenever convenient, we identify  $G_{\text{vis}}$  with its canonical straight-line embedding in the polygon. For example, we speak of angles between arcs of  $G_{\text{vis}}$  when we mean the angles between the corresponding line segments of its straight-line embedding.

Depending on the additional capabilities with which we equip a robot, the robot might or might not be able to perform certain tasks. We focus on the *visibility graph reconstruction problem* in which the robot has to uniquely infer  $G_{\text{vis}}$ . Here and throughout this article, we consider isomorphic graphs to be the “same” graph, as we cannot hope to distinguish graphs further. We also consider the *weak-rendezvous problem* in which multiple identical and deterministic robots need to position themselves on vertices of the polygon that mutually see each other.

Before defining a specific robot model, we introduce some formalism for  $G_{\text{vis}}$  (Figure 1). We fix a vertex  $v_0$  and denote the vertices of  $\mathcal{P}$  in ccw order along the boundary by  $v_0, v_1, \dots, v_{n-1}$ . Note that  $v_0, v_1, \dots, v_{n-1}, v_0$  is a Hamiltonian cycle in  $G_{\text{vis}}$ . By  $\text{chain}(v_l, v_r)$ , we denote the sequence  $(v_l, v_{l+1}, \dots, v_r)$ , and by  $\text{chain}_v(v_l, v_r)$ , we denote the subsequence of  $\text{chain}(v_l, v_r)$  containing only the vertices visible to  $v$ . Here and throughout this article, all indices are understood modulo  $n$ . For  $v_i \in V$ , let  $(u_1, \dots, u_{d_i}) := \text{chain}_{v_i}(v_{i+1}, v_{i-1})$  be the vertices visible to  $v_i$  other than  $v_i$ . We say that  $d_i$  is the degree of  $v_i$  and define  $\text{vis}_{v_i}(x) := \text{vis}_{v_i}(-(d_i + 1 - x)) := u_x$  to be the  $x$ -th vertex visible to  $v_i$  in ccw order or equivalently the  $(d_i + 1 - x)$ -th vertex visible to  $v_i$  in clockwise (cw) order for  $1 \leq x \leq d_i$ . Conversely, we set  $O_{v_i}(u_x) := x$  or interchangeably  $O_{v_i}(u_x) = -(d_i + 1 - x)$  for  $1 \leq x \leq d_i$ . For  $1 \leq x < y \leq d_i$ , we write  $A_{v_i}(x, y) = A_{v_i}(y, x)$  to denote the ccw angle between the arcs  $(v_i, u_x)$  and  $(v_i, u_y)$  in that order. Furthermore, we define the *angle type*  $T_{v_i}(\cdot, \cdot)$  as follows:  $T_{v_i}(x, y) = T_{v_i}(y, x) = 1$  if  $A_{v_i}(x, y) > \pi$  and  $T_{v_i}(x, y) = T_{v_i}(y, x) = 0$  otherwise. For convenience, we set  $T_{v_i}(x, x) = 0$ . A vertex  $v_i$  is called *reflex* if  $T_{v_i}(1, d_i) = 1$  and *convex* otherwise.

<sup>1</sup>Note that we do not make the usual assumption that vertices of the polygon are in a general position.




Fig. 1. In this figure, we have  $\text{chain}(v_3, v_{10}) = (v_3, v_4, v_5, v_6, v_7, v_8, v_9, v_{10})$  while  $\text{chain}_{v_0}(v_3, v_{10}) = (v_3, v_4, v_7, v_8)$ . Similarly,  $\text{chain}(v_{10}, v_3) = (v_{10}, v_{11}, v_0, v_1, v_2, v_3)$  and  $\text{chain}_{v_0}(v_{10}, v_3) = (v_{11}, v_0, v_1, v_2, v_3)$ . We have  $\text{vis}_{v_0}(5) = \text{vis}_{v_0}(-3) = v_7$  and conversely  $O_{v_0}(v_7) = 5$  or  $-3$  because  $v_7$  is the fifth vertex that  $v_0$  sees in ccw order and the third in cw order. Finally, we have  $T_{v_0}(2, 5) = 0$  and  $T_{v_0}(6, 2) = 1$ , since  $v_2$  and  $v_7$  form a convex angle at  $v_0$  while  $v_2$  and  $v_8$  form a reflex angle.

The exploration of  $G_{\text{vis}}$  can be reduced to the general problem of exploring a strongly connected, directed, and arc-labeled (multi-) graph<sup>2</sup>  $G$  (from now on, we use the word *graph* to refer to such graphs). We write  $\lambda(e)$  to denote the label of an arc  $e$ . A robot exploring a graph is assumed to be aware of the labels of all outgoing arcs at its location. In every move, the robot may choose one of those arcs and follow it to its target. A directed walk is a sequence of arcs  $(e_1, e_2, \dots)$  such that the target of  $e_1$  is the source of  $e_2$  and so on. A directed path is a directed walk that does not visit any vertex more than once. Every walk  $p = (e_1, e_2, \dots)$  in the graph uniquely induces a label sequence  $\lambda(p) = (\lambda(e_1), \lambda(e_2), \dots)$ . Conversely, any label sequence  $\Lambda$  induces a set of walks  $\Lambda(G)$  such that  $\lambda(p) = \Lambda$  for all  $p \in \Lambda(G)$ . By  $\Lambda(v)$ , we denote the set of walks in  $\Lambda(G)$  that start at  $v$ . If no two outgoing arcs of the same vertex share a label, we say that the graph has a *local orientation* or is *locally oriented*. Then, for every label sequence  $\Lambda$  and vertex  $v$ , we have  $\Lambda(v) = \emptyset$  or  $|\Lambda(v)| = 1$ ; in the latter case, we write  $\Lambda(v)$  to denote this unique walk. With “ $\circ$ ,” we denote the concatenation of label sequences.

We can now introduce the robot model used in this article in detail. As described earlier, a robot is allowed to move along arcs of the visibility graph. In addition, while situated at a vertex  $v$  of degree  $d$ , the robot can order all outgoing arcs in ccw order starting with the arc to its ccw neighbor along the boundary, and it is aware of  $T_v(x, y)$  for all  $1 \leq x, y \leq d$ . We assume that the robot knows an upper bound  $\bar{n} \geq n$  on the total number of vertices  $n$ . From now on, when we talk about a robot in a polygon, we refer to this robot model.

The exploration of  $\mathcal{P}$  by a robot is in fact equivalent to the exploration of an arc-labeled version of  $G_{\text{vis}}$  that encodes the information available to the robot in its labeling. In this setting, upon entering a node  $u$ , the robot learns all labels of arcs leaving  $u$ . The labeling needs to encode the local orientation and the angle type information into the labeling of the outgoing arcs at the corresponding vertex in  $G_{\text{vis}}$ . We introduce a labeling in which each label is a sequence of integers. Let  $v$  be a vertex of the visibility graph with degree  $d$  and  $(v, u)$  be an outgoing arc of  $v$ . We label  $(v, u)$  with the label  $(x_0, x_1, \dots, x_d)$ , where  $x_0 := O_v(u)$  and  $x_i := T_v(x_0, i)$ ,  $1 \leq i \leq d$ . Note that by the definition of  $O_v$ , our labeling is a local orientation. Further note that the arcs  $(v, u)$  and  $(u, v)$  may be labeled differently. It is immediate to check that a robot exploring the labeled graph

<sup>2</sup>It might help to think of symmetric graphs—that is, graphs where for every directed edge  $(v, u)$  there is also a reverse edge  $(u, v)$ .

$G_{\text{vis}}$  encounters the exact same information as a robot inside the polygon if both start at the same vertex. It is thus sufficient to show that the labeled version of  $G_{\text{vis}}$  can be reconstructed in the framework of exploring general graphs to show that a robot can indeed solve the visibility graph reconstruction problem. From now on, we write  $G_{\text{vis}}$  to denote the arc-labeled visibility graph.

### 3. OVERVIEW OF THE ALGORITHM

The visibility graph reconstruction algorithm that we design in this work combines several old and new graph-theoretical and geometrical properties of visibility graphs as well as techniques developed in earlier studies. Rather than formally introducing all relevant concepts right away, this section aims to give an intuitive overview of the algorithm. We informally describe the underlying techniques and defer their formal discussion to later sections. Note that we are primarily interested in showing that a robot is capable of uniquely reconstructing the visibility graph of any simple polygon. The algorithm that we provide as a proof does not need to be particularly efficient as long as it is guaranteed to terminate in finite time. An algorithm that solves the weak-rendezvous problem is obtained as a by-product.

In Section 2, we argued that the exploration of  $\mathcal{P}$  by a robot is equivalent to the exploration of  $G_{\text{vis}}$  in the context of general graph exploration. In general and without any prior knowledge of the graph, there can be infinitely many graphs that are compatible with the observations of the robot no matter how far it moves—in other words, all of these graphs are indistinguishable to the robot (e.g., consider the family of all cycles). However, it is known [Boldi and Vigna 2002] that for every graph  $G$ , there is always a unique graph  $G^*$  that is indistinguishable from  $G$  and has minimum size (for a bidirected cycle,  $G^*$  is a graph with one node and two (directed) self-loops). We say that  $G^*$  is the *minimum base graph* of  $G$ . Using the fact that  $G_{\text{vis}}$  is locally oriented and that an upper bound  $\bar{n}$  on  $n$  is known a priori, we are able to show the following result.

**THEOREM 3.1.** *A robot in  $\mathcal{P}$  can determine  $G_{\text{vis}}^*$ .*

The main ingredient for this theorem is the observation that given two candidate graphs for  $G_{\text{vis}}^*$ , the robot can eliminate one of them in finite time by following an appropriate sequence of arc labels. It is then sufficient to iterate over pairs of graphs with size at most  $\bar{n}$ , discarding one of the two in every step. Once the robot has determined  $G_{\text{vis}}^*$ , it has extracted all of the information that it can possibly gather by moving around. Subsequent steps of the algorithm can thus operate on  $G_{\text{vis}}^*$  directly without further need of moving at all in  $G_{\text{vis}}$ .

We associate each vertex of  $G_{\text{vis}}$  with a vertex of  $G_{\text{vis}}^*$  such that each vertex of  $G_{\text{vis}}^*$  represents a *class* of vertices of  $G_{\text{vis}}$ . For two vertices  $u, v$  of  $G_{\text{vis}}$  in the same class, we have  $\Lambda(u) \neq \emptyset \Leftrightarrow \Lambda(v) \neq \emptyset$  for all label sequences  $\Lambda$ . Furthermore, the classes with which the vertices of  $G_{\text{vis}}$  are associated repeat periodically along the boundary of the polygon, and in particular, all classes have the same size. We define a unique order between the classes and use a procedure similar to the one in Chalopin et al. [2011] to show that at least one of them forms a clique in  $G_{\text{vis}}$ . The idea is to repeatedly “cut off” *ears* of the polygon (i.e., vertices whose neighbors on the boundary see each other). Cutting off such an ear yields a subpolygon of  $\mathcal{P}$ , and we can repeat the process on the subpolygon. However, the robot cannot operate on  $G_{\text{vis}}$  directly, as it only has access to  $G_{\text{vis}}^*$ . The following lemma allows the robot to cut off an entire class of vertices at a time, an operation that can be performed in  $G_{\text{vis}}^*$  simply by deleting the corresponding vertex (and adjusting the arc labels of its neighboring vertices).

**LEMMA 3.2.** *Let  $v$  be an ear of  $\mathcal{P}$ . Every vertex in the same class as  $v$  is an ear of  $\mathcal{P}$ .*




Fig. 2. Left: Cutting away a class of vertices (ears) from  $\mathcal{P}$  to obtain  $\mathcal{P}'$ . Middle: Visibility graph  $G_{\text{vis}}$  of  $\mathcal{P}$ . Right: Minimum base graph  $G_{\text{vis}}^*$  of  $G_{\text{vis}}$ . Dashed edges are in  $\mathcal{P}$  but not in  $\mathcal{P}'$ .

As every polygon has at least one ear, the robot can thus “cut off” an entire class of  $\mathcal{P}$  to obtain a new and smaller polygon  $\mathcal{P}'$  (Figure 2). By removing the corresponding vertex of  $G_{\text{vis}}^*$  and updating the arc labels, it obtains a graph  $G_{\text{vis}}'^*$  that is indistinguishable from the visibility graph of  $\mathcal{P}'$ . If this process is repeated, by always selecting for removal the smallest class with respect to a unique order relation, eventually a situation is reached in which only one (uniquely defined) class  $C^*$  remains. As the corresponding subpolygon must again have at least one ear, by the preceding lemma the entire class  $C^*$  consists of ears and the corresponding subpolygon thus is convex. A convex subpolygon is a clique in the original visibility graph, and we may conclude the following crucial theorem.

**THEOREM 3.3.** *There exists a uniquely defined class  $C^*$  in  $G_{\text{vis}}$  whose vertices form a clique.*

Theorem 3.3 yields an algorithm for multiple robots to weakly meet: as  $C^*$  is unique, every robot can determine  $C^*$  and then simply position itself on a vertex of  $C^*$ . We get the following theorem.

**THEOREM 3.4.** *Any number of robots in  $\mathcal{P}$  can solve the weak- rendezvous problem.*

Starting from the clique  $C^*$ , we show that by sequentially “gluing” ears back to the polygon, a robot can extend the initial clique and reconstruct the entire visibility graph step by step. Every step relies on a recursive counting method that was introduced in Bilò et al. [2012]. To know how to glue ears back on, the robot explicitly needs to construct  $C^*$  by repeatedly cutting off ears and remembering in which order the classes are cut off in the process.

**THEOREM 3.5.** *A robot in  $\mathcal{P}$  can solve the visibility graph reconstruction problem.*

#### 4. FINDING THE MINIMUM BASE GRAPH

This section focuses on the problem of exploring a general, finite, strongly connected, locally oriented directed (multi-) graph  $G = (V, E)$  with a robot. Again, we assume an upper bound  $\bar{n}$  on the number of vertices  $n$  to be known and do not impose a limitation on the memory of the robot. We prove a generalization of Theorem 3.1 to general, locally oriented, directed graphs (cf. Theorem 4.2).

Before we define the notion of the *minimum base graph*  $G^*$  of  $G$ , we need to introduce a few graph-theoretical concepts. First, given an arc  $e$  from vertex  $u$  to vertex  $v$ , we denote by  $s(e)$  the *source* of arc  $e$  (i.e., the vertex  $u$ ) and by  $t(e)$  the *target* of arc  $e$  (i.e., the vertex  $v$ ). Note that in the following, we allow graphs to have parallel arcs between a pair of vertices. A *morphism*  $\mu : G \rightarrow G'$  from  $G$  to a graph  $G'$  is a mapping from  $G$  to

$G'$  that maps vertices to vertices and arcs to arcs and maintains adjacencies and arc labels. More formally, if  $e$  is an arc in  $G$  from  $u$  to  $v$ , then  $s(\mu(e)) = \mu(u)$ ,  $t(\mu(e)) = \mu(v)$ , and  $\lambda(e) = \lambda(\mu(e))$ . An *opfibration*  $\varphi : G \rightarrow \tilde{G}$  with  $\tilde{G} = (\tilde{V}, \tilde{E})$  is a morphism such that for every arc  $\tilde{e} \in \tilde{E}$  with  $\tilde{u} = s(\tilde{e})$  and for every vertex  $u \in \varphi^{-1}(\tilde{u})$  in the preimage of  $\tilde{u}$ , there is a *unique* arc  $e$  with source  $s(e) = u$  such that  $\varphi(e) = \tilde{e}$ . We say that  $\tilde{G}$  is a *base graph* of  $G$  and  $G$  is a *total graph* of  $\tilde{G}$ . Trivially,  $G$  is both its own base graph and total graph. If  $G$  has no base graph smaller than itself, we say that  $G$  is *opfibration prime*. An *out-tree* is a graph that has a *root* vertex  $r$  such that there is exactly one directed walk from  $r$  to every other node.

We give the following properties without proof. For a detailed discussion and proofs, refer to Boldi and Vigna [2002].

**PROPERTY 1.** *Let  $\varphi : G \rightarrow \tilde{G}$  be an opfibration. For every label sequence  $\Lambda$  and every vertex  $v \in V$ , we have that  $\Lambda(v) \neq \emptyset$  if and only if  $\Lambda(\varphi(v)) \neq \emptyset$ .*

**PROPERTY 2.** *There is exactly one opfibration prime base graph of  $G$ . We call it the minimum base graph of  $G$  and denote it by  $G^*$ .*

**PROPERTY 3.** *For every  $v \in V$ , there is a unique (but not necessarily finite) total graph  $H_v$  of  $G$  that is an out-tree with root in  $\varphi^{-1}(v)$ , where  $\varphi$  is the opfibration mapping  $H_v$  to  $G$ . We call  $H_v$  the universal total graph of  $G$  at  $v$ .*

**PROPERTY 4.** *A graph is opfibration prime if and only if all of its universal total graphs are distinct.*

**PROPERTY 5.** *Two different opfibration prime graphs have different sets of universal total graphs.*

We can now show that if we have a local orientation, there is a label sequence of finite length that can be used to distinguish two rooted, opfibration prime graphs.

**LEMMA 4.1.** *Let  $G_v = (V, E)$ ,  $G_{v'} = (V', E')$  be two distinct, rooted, locally oriented opfibration prime graphs. There is a finite label sequence  $\Lambda_{\text{diff}}$  for which  $\Lambda_{\text{diff}}(v) \neq \emptyset$  and  $\Lambda_{\text{diff}}(v') = \emptyset$  or vice versa.*

**PROOF.** First, consider the case that  $G_v$  and  $G_{v'}$  are the same graph, rooted at different vertices (i.e.,  $G = G'$ ). By Property 4, the universal total graphs  $H_v$  and  $H_{v'}$  are distinct. Let  $r, r'$  be the roots of  $H_v, H_{v'}$ , respectively. Because  $H_v$  and  $H_{v'}$  are distinct and locally oriented, there is a finite label sequence  $\Lambda_{\text{diff}}$  with  $\Lambda_{\text{diff}}(r) \neq \emptyset$  and  $\Lambda_{\text{diff}}(r') = \emptyset$  or vice versa. By Property 1, this implies that  $\Lambda_{\text{diff}}(v) \neq \emptyset$  and  $\Lambda_{\text{diff}}(v') = \emptyset$  or vice versa.

Now assume that  $G \neq G'$ . By Property 5, and without loss of generality, we may assume that there is a vertex  $u \in V$  such that the universal total graph  $H_u$  of  $G$  at  $u$  is not a universal total graph of  $G'$ . Let  $\Lambda_1$  be the label sequence associated with the path from  $v$  to  $u$  in  $G$ . This path exists since  $G$  is strongly connected. If  $\Lambda_1(v') = \emptyset$ , we have found the desired label sequence. Otherwise, let  $u'$  be the vertex at which the path  $\Lambda_1(v')$  ends. By our choice of  $u$ , we have  $H_u \neq H_{u'}$ . By the same argument as earlier, there is a label sequence  $\Lambda_2$  with  $\Lambda_2(u) \neq \emptyset$  and  $\Lambda_2(u') = \emptyset$  or vice versa. But then the concatenated label sequence  $\Lambda_1 \circ \Lambda_2$  has the desired property.  $\square$

The following theorem holds for directed graphs—that is, for robots that cannot backtrack their moves. Similar results are known for undirected graphs where robots can identify the edge along which they reached their current location [Chalopin et al. 2011; Dereniowski and Pelc 2012; Yamashita and Kameda 1996].



**THEOREM 4.2.** *A robot exploring any finite, directed, strongly connected, locally oriented multigraph  $G$  can determine  $G^*$  if it knows an upper bound  $\bar{n}$  on the number of vertices of  $G$ .*

**PROOF.** In the following, we describe a strategy for finding  $G^*$  under the assumption that the maximum degree  $\Delta$  of  $G$  is known, as well as the set  $\mathcal{L}$  of all arc labels occurring in  $G$ . Otherwise, we start with initial guesses of  $\Delta$  and  $\mathcal{L}$  according to the observations of the agent at its starting location. Whenever the agent makes an observation that is inconsistent with its belief of  $\Delta$  and  $\mathcal{L}$ , the agent updates its belief and restarts the whole procedure. As both  $\Delta$  and  $\mathcal{L}$  are finite, the number of times the agent needs to restart is finite.

Now let  $v_{\text{start}}$  denote the vertex of  $G$  at which the robot is initially located, and let  $v_{\text{start}}^*$  denote the corresponding vertex of  $G^*$ . By Property 2,  $G^*$  is unique. We will give an algorithm that maintains a finite set  $C$  of rooted graphs. This set is always guaranteed to contain  $G^*$  rooted at  $v_{\text{start}}^*$ , provided that the belief of  $\Delta$  and  $\mathcal{L}$  is correct. We begin by setting  $C$  to contain all opfibration prime graphs of size at most  $\bar{n}$  and maximum degree  $\Delta$ , with arc labelings from  $\mathcal{L}$  and all possible roots.

While  $|C| > 1$ , we let  $G_{v_1}^1, G_{v_2}^2$  be two rooted graphs in  $C$  and describe how to conclude that either  $G_{v_1}^1$  or  $G_{v_2}^2$  can safely be eliminated from  $C$ . Once  $|C| = 1$ , the only graph left will have to be  $G^*$ . Observe that although the robot has not visited all nodes of  $G$ , more than one consistent base graph remains in  $C$  (for different outgoing arcs at the unvisited node, different labels and multiplicities). Once  $|C| = 1$ , the agent must thus have visited all nodes of  $G$  and hence have a correct belief of  $\Delta$  and  $\mathcal{L}$ . In the following, let  $p_{\text{hist}}$  denote the walk in  $G$  along which the robot has traveled so far during the execution of the algorithm, and let  $\Lambda_{\text{hist}} = \lambda(p_{\text{hist}})$  be the associated label sequence. Note that the robot is aware of  $\Lambda_{\text{hist}}$  but not of  $p_{\text{hist}}$ , as it does not know the graph  $G$ , nor  $v_{\text{start}}$ . For a rooted graph  $G'_v$ , we use  $v_{\text{hyp}}(v)$  to denote the last vertex on the walk  $\Lambda_{\text{hist}}(v)$  in  $G'$ —in other words, the vertex at which the robot would currently be located if it had started the algorithm at vertex  $v$  in graph  $G'$ .

Given two rooted, opfibration prime graphs  $G_{v_1}^1, G_{v_2}^2$ , we argue how to conclude that one of them cannot be  $G^*$  rooted at  $v_{\text{start}}^*$ . First, we can check whether  $\Lambda_{\text{hist}}(v_1) = \emptyset$  or  $\Lambda_{\text{hist}}(v_2) = \emptyset$ ; if one of the two is the case, we can discard the corresponding rooted graph since it is not compatible with the observations the robot has made so far. Otherwise, we consider  $G^1$  rooted at  $v_{\text{hyp}}(v_1)$  and  $G^2$  rooted at  $v_{\text{hyp}}(v_2)$ . By Lemma 4.1, there is a label sequence  $\Lambda_{\text{diff}}$  of finite length, for which  $\Lambda_{\text{diff}}(v_{\text{hyp}}(v_1)) \neq \emptyset$  and  $\Lambda_{\text{diff}}(v_{\text{hyp}}(v_2)) = \emptyset$  or vice versa. The robot tries to move along a path corresponding to  $\Lambda_{\text{diff}}$ . If that turns out not to be possible because at some point no outgoing edge has the required label, it can discard  $G_{v_1}^1$  from  $C$  if  $\Lambda_{\text{diff}}(v_{\text{hyp}}(v_1)) \neq \emptyset$ , and  $G_{v_2}^2$  otherwise. If it successfully reaches the end of  $\Lambda_{\text{diff}}$ , the robot can eliminate  $G_{v_1}^1$  from  $C$  if  $\Lambda_{\text{diff}}(v_1) = \emptyset$ , and  $G_{v_2}^2$  otherwise.  $\square$

We obtain Theorem 3.1 immediately by applying Theorem 4.2 to  $G_{\text{vis}}$ . Note that the results of this section are not restricted to visibility graphs.

## 5. IDENTIFYING THE CLIQUE $C^*$

In this section, we study structural properties of  $G_{\text{vis}}^* = (V^*, E^*)$ , which we later use to show Theorem 3.3.

Let  $\varphi : G_{\text{vis}} \rightarrow G_{\text{vis}}^*$  be the opfibration from  $G_{\text{vis}}$  to  $G_{\text{vis}}^*$ . As  $G_{\text{vis}}^*$  is the minimum base of  $G_{\text{vis}}$ ,  $\varphi$  is unique. Every vertex  $v^*$  of  $G_{\text{vis}}^*$  corresponds to a set of vertices of  $G_{\text{vis}}$ . We write  $C_{v^*} := \varphi^{-1}(v^*) \subseteq V$  and say that  $C_{v^*}$  is the *class* of  $v^*$ . For all  $v \in \varphi^{-1}(v^*)$ , we set  $C_v := C_{v^*}$ . From the definition of opfibrations and the minimality of the base graph, it follows that every two vertices  $u, v$  of the same class  $C_u$  have the same degree  $d$  and




Fig. 3. Visualization of the “zig-zag” sequence  $Z$ . As  $Z$  does not self-intersect, there is a point  $l_0$  from which on  $Z$ 's entries do not change anymore. There are two cases in which this point is reached: either  $s_{l_0-1}$  is distinct from  $s_{l_0}$  (left) or they are the same (right).

that due to local orientation we have  $C_{\text{vis}_u(i)} = C_{\text{vis}_v(i)}$  for all  $1 \leq i \leq d$ . We may thus write  $C_u(i) := C_{\text{vis}_u(i)}$ . Finally, we define  $\mathcal{B} := (C_{v_0}, C_{v_1}, \dots, C_{v_{n-1}})$  to be the sequence in which the classes appear along the boundary.

As  $G_{\text{vis}}^*$  is opfibration prime, by Property 4 every vertex has its unique universal total graph. We use this and define a natural order  $\mathcal{O}$  on the vertices of  $G_{\text{vis}}^*$  and thus on the classes of  $G_{\text{vis}}$ .

**LEMMA 5.1.** *The sequence  $\mathcal{B}$  is periodical with period  $|V^*|$ , and thus all classes have the same size.*

**PROOF.** The boundary can be traced by following the first edge at every vertex—that is, the unique edge whose label starts with “1”. It follows that the image of the boundary under  $\varphi$  consists of  $n/|V^*|$  copies of a Hamiltonian cycle of  $G_{\text{vis}}^*$ . Hence,  $\mathcal{B}$  is periodical with period  $|V^*|$  and all classes have the size  $n/|V^*|$ .  $\square$

We show that if a vertex from some class is an ear, then every vertex of the class is an ear. Recall that an ear of  $G_{\text{vis}}$  is a vertex  $v_i \in V$  for which  $v_{i-1}$  and  $v_{i+1}$  see each other.

**LEMMA 5.2.** *Let  $|V^*| > 2$  and  $v_x, v_y \in V$  such that  $C_{v_x}(2) = C_{v_y}$  and  $C_{v_y}(-2) = C_{v_x}$ . Then,  $C_{v_{x+2}} = C_{v_y}$  and every vertex in  $C_{v_{x+1}}$  is an ear.*

**PROOF.** We first prove that for all  $v_i \in V$  and  $u = \text{vis}_{v_i}(2)$ , we have that if  $v_i = \text{vis}_u(-2)$ , then  $u = \text{vis}_{v_i}(2) = v_{i+2}$  and thus  $v_{i+1}$  is an ear. For the sake of contradiction, assume for some  $v_i \in V$  and  $u = \text{vis}_{v_i}(2)$  that we have  $\text{vis}_u(-2) = v_i$  but  $\text{vis}_{v_i}(2) \neq v_{i+2}$ . Consider the subpolygon induced by  $\text{chain}(v_i, \text{vis}_{v_i}(2))$ . This subpolygon has size at least four as  $\text{vis}_{v_i}(2) \notin \{v_{i+1}, v_{i+2}\}$ . In the visibility graph of the subpolygon,  $v_i$  and  $\text{vis}_{v_i}(2)$  are neighbors on the boundary and both have degree two, which is a contradiction to the fact that every polygon must admit a triangulation. Therefore,  $\text{vis}_{v_i}(2) = v_{i+2}$  and  $v_{i+1}$  is an ear as its neighbors on the boundary see each other.

Because of the preceding observation, it is sufficient to show that for every  $v \in C_{v_x}$  we have  $\text{vis}_u(-2) = v$ , where  $u := \text{vis}_v(2)$ . For the sake of contradiction, assume in the following that there is a vertex  $s_0 \in C_{v_x}$  with  $t_1 := \text{vis}_{s_0}(2)$  and  $\text{vis}_{t_1}(-2) \neq s_0$ .

We define an infinite sequence  $Z = (s_0, t_1, s_1, t_2, \dots)$  where  $t_l := \text{vis}_{s_{l-1}}(2)$  and  $s_l := \text{vis}_{t_l}(-2)$  for all  $l > 0$ . Obviously,  $s_l \in C_{v_x}$ ,  $t_{l+1} \in C_{v_y}$  for all  $l \geq 0$ . Intuitively,  $Z$  is the zig-zag line obtained by alternately traveling along the first and the last nonboundary arc in ccw order, starting at  $s_0$  (Figure 3). It is immediate to see that for any fixed index  $l' > 0$ , we have  $s_l, t_l \in \text{chain}(s_{l'}, t_{l'})$  for all  $l \geq l'$ . Hence, the part of the boundary in which these vertices lie becomes smaller and smaller, and from some index  $l_0 > 0$  on we have  $s_l = s_{l_0}$  and  $t_l = t_{l_0}$  for all  $l \geq l_0$  (we set  $l_0$  to be the smallest such index). Let  $0 \leq i, j < n$




Fig. 4. No vertex in  $\text{chain}(v_{i+3}, v_k)$  can see any vertex in  $\text{chain}(v_{k+2}, v_{i+1})$ .

be such that  $v_i = s_{l_0}$ ,  $v_j = t_{l_0}$ . We then have  $\text{vis}_{v_i}(2) = v_j$  and  $\text{vis}_{v_j}(-2) = v_i$ . Thus, by the preceding observation,  $v_{i+1}$  is an ear and  $v_j = v_{i+2}$ . As  $v_i \in C_{v_x}$  and  $v_j \in C_{v_y}$ , this implies  $C_{v_{x+2}} = C_{v_y}$ . It remains to show that every vertex in  $C_{v_{x+1}}$  is an ear.

We have to consider two cases. Either  $s_{l_0-1}$  is distinct from  $s_{l_0}$  or it is the same vertex (see Figure 3). We assume that  $s_{l_0-1} \neq s_{l_0}$  and omit the discussion of the second case, which is essentially analogous (the same arguments hold for the other case if we switch the roles of  $s$  and  $t$  and reverse the boundary order). Let  $0 \leq k < n$  such that  $v_k = s_{l_0-1}$ . As  $\text{vis}_{v_k}(2) = v_{i+2}$ , we have that  $v_k$  does not see any vertex in  $\text{chain}(v_{k+2}, v_{i+1})$  (note that this chain is not empty as  $v_k \neq v_i$ ), and thus as  $v_{k+1} \in C_{v_{x+1}}$  is in the same class as (the ear)  $v_{i+1}$ , the interior angle of the polygon at  $v_{k+1}$  is strictly smaller than  $\pi$ . Since all vertices in  $\text{chain}(v_{i+3}, v_k) \cup \text{chain}(v_{k+2}, v_{i+1})$  lie on the same side of the line through  $v_k$  and  $v_{i+2}$  and are separated by  $v_{i+2}$  (Figure 4), no vertex in  $\text{chain}(v_{i+3}, v_k)$  can see any vertex in  $\text{chain}(v_{k+2}, v_{i+1})$ . Let  $X \subset C_{v_x}$  be the set of vertices of  $C_{v_x}$  in  $\text{chain}(v_{i+3}, v_k)$ , and let  $Y \subset C_{v_y}$  be the set of vertices of  $C_{v_y}$  in  $\text{chain}(v_{i+3}, v_k)$ . As  $|V^*| > 2$ ,  $C_{v_x}$ ,  $C_{v_{x+1}}$ , and  $C_{v_{x+2}} = C_{v_y}$  are all different, and thus  $X$  and  $Y$  are disjoint. Note that because  $\mathcal{B}$  is periodical with period  $|V^*|$  (Lemma 5.1), we have  $|X| = |Y| + 1$ .

We define the (undirected) bipartite graph  $B_{xy} = (C_{v_x} \cup C_{v_y}, E_{xy})$  with the edge set  $E_{xy} = \{\{u, v\} \in C_{v_x} \times C_{v_y} \mid (u, v) \in E\}$ . In  $B_{xy}$ , all vertices need to have the same degree  $d$  as  $|C_{v_x}| = |C_{v_y}|$  and all vertices in either class have the same degree. We have  $|X| = |Y| + 1$ ; we have that vertices in  $X$  can only have edges to vertices in  $Y \cup \{v_{i+2}\}$  and that vertices in  $Y$  can only have edges to vertices in  $X$ . For all vertices to have the same degree,  $v_{i+2}$  cannot have any edges leading to  $C_{v_x} \setminus X$ . This is a contradiction to the fact that  $v_{i+2}$  sees  $v_i$ , which is not in  $\text{chain}(v_{i+3}, v_k)$  and thus not in  $X$ .  $\square$

We can now consider arbitrary values of  $|V^*|$  and prove Lemma 3.2. We will need the following property of the shortest curve between two vertices of  $\mathcal{P}$ .

**THEOREM 5.3** ([LEE AND PREPARATA 1984]). *Let  $s, t \in V$ . There is a unique shortest curve  $p$  from  $s$  to  $t$  that lies in  $\mathcal{P}$ . This curve is a chain of straight-line segments connected at reflex vertices of  $\mathcal{P}$ , and the two line segments at any vertex of  $p$  form a reflex angle. We say that  $p$  is the (Euclidean) shortest path in  $\mathcal{P}$  between  $s$  and  $t$ .*

**PROOF OF LEMMA 3.2.** In the following, we let  $v_i \in V$  be an ear and show that all vertices in  $C_{v_i}$  are ears.

First consider the case  $|V^*| > 2$ . As  $(v_{i-1}, v_{i+1}) \in E$ , we have  $\text{vis}_{v_{i-1}}(2) = v_{i+1}$  and  $\text{vis}_{v_{i+1}}(-2) = v_{i-1}$ , and thus  $C_{v_{i-1}}(2) = C_{v_{i+1}}$  and  $C_{v_{i+1}}(-2) = C_{v_{i-1}}$ . By Lemma 5.2, all vertices in  $C_{v_i}$  are ears. Now consider the case  $|V^*| = 1$ . In that case, since  $v_i$  is convex, so are all vertices in  $C_{v_i}$ , as convexity is encoded in the arc labeling. As  $|V^*| = 1$ , this means that the polygon is convex and thus all vertices are ears.

It remains to consider the case  $|V^*| = 2$ . Let  $C_{v_j} \neq C_{v_i}$  be the second class in  $G_{\text{vis}}$ . Again,  $v_i$  is convex and thus all vertices in  $C_{v_i}$  are as well. For the sake of contradiction, assume that there is a vertex  $v_x \in C_{v_i}$  that is not an ear. Then  $v_{x-1}$  and  $v_{x+1}$  do not see each other, and by Lemma 5.1  $v_{x-1}, v_{x+1} \in C_{v_j}$ . Let  $p$  be the shortest path in  $\mathcal{P}$  between  $v_{x-1}$  and  $v_{x+1}$ . By Theorem 5.3, all vertices on  $p$  are reflex. This means that all vertices on  $p$  must be from  $C_{v_j}$  and thus all vertices of  $C_{v_j}$  must be reflex. Moreover, every vertex  $u$  in  $C_{v_j}$  has two neighbors  $u', u''$  in  $C_{v_j}$  such that the angle between  $(u, u')$  and  $(u, u'')$  is reflex. If we cut off  $v_i$  from  $\mathcal{P}$ , we do not affect this property (every vertex  $u$  in  $C_{v_j}$  still has two neighbors from  $C_{v_j}$  forming a reflex angle), and we thus obtain a new polygon in which all vertices in  $C_{v_j}$  are still reflex (i.e., cutting off an ear cannot make a vertex of  $C_{v_j}$  convex). We can continue to obtain smaller and smaller subpolygons by selecting ears and cutting them off, maintaining the property that all vertices in  $C_{v_j}$  are reflex. Thus, in this process, we never cut off a vertex of  $C_{v_j}$ . This is a contradiction, as every polygon has at least one ear and thus the preceding process has to cut off all vertices eventually.  $\square$

**PROOF OF THEOREM 3.3.** Lemma 3.2 allows us to employ the following procedure repeatedly until only one class  $C^*$  remains. In step  $i = 1, \dots, |V^*| - 1$ , select the class  $C^{(i)}$  that is smallest with respect to the order  $\mathcal{O}$  among all classes of ears. We remove  $C^{(i)}$  from the polygon by deleting the corresponding vertex from  $G_{\text{vis}}^*$  and updating the arc labels of its neighborhood accordingly. Removing class  $C^{(i)}$  in that way produces a (not necessarily minimum) base graph  $G_i^*$  of the visibility graph  $G_{\text{vis}}^{(i)}$  of the subpolygon  $\mathcal{P}^{(i)}$  obtained by cutting off all ears in  $C^{(i)}$ . Since the minimum base graph of  $G_{\text{vis}}^{(i)}$  is also a (minimum) base graph of  $G_i^*$ , all vertices of  $G_{\text{vis}}$  corresponding to a single vertex of  $G_i^*$  (i.e., to a class of  $G_{\text{vis}}$ ) fall into the same class of  $G_{\text{vis}}^{(i)}$ . As  $\mathcal{P}^{(i)}$  has again at least one ear, Lemma 3.2 guarantees the existence of a class of  $G_{\text{vis}}^{(i)}$  that contains only ears. Each of the remaining classes of  $G_{\text{vis}}$  contains vertices from a single class of  $G_{\text{vis}}^{(i)}$ , thus one of them contains only ears of  $\mathcal{P}^{(i)}$ . This allows us to repeat our procedure.

If we repeat the procedure  $|V^*| - 1$  times, we are finally left with a single class  $C^{(|V^*|)} = C^*$  and the sequence  $(C^{(1)}, C^{(2)}, \dots, C^{(|V^*|-1)})$ , which is fixed by our order relation  $\mathcal{O}$ . As  $C^*$  again corresponds to a subpolygon and thus must contain at least one ear, every vertex in  $C^*$  must be an ear. Therefore, the corresponding subpolygon is convex and  $C^*$  forms a clique in  $G_{\text{vis}}$ .  $\square$

The existence of a clique gives us a way of computing  $n$  from  $\bar{n}$  using  $G_{\text{vis}}^*$ . By Lemma 5.1, we have  $n = |V^*| \cdot |C|$ , where  $C$  is any class of  $G_{\text{vis}}$ . If we inspect the number of self-loops of every vertex of  $G_{\text{vis}}^*$ , we are sure to encounter at least one vertex with  $|C| - 1$  self-loops, which corresponds to a clique in the visibility graph, and thus  $|C|$  is equal to the maximum number of self-loops of any vertex plus one.

By Theorem 3.1, a robot can determine  $G_{\text{vis}}^*$  in finite time. Furthermore, it can identify which of the classes consist of ears: if  $|V^*| \leq 2$ , a class of convex vertices only contains ears, and for  $|V^*| > 2$  the robot can use Lemma 5.2. The robot can hence execute the preceding procedure explicitly and we obtain the following theorem.

**THEOREM 5.4.** *A robot in  $\mathcal{P}$  can determine the lexicographically smallest sequence  $\mathcal{C} = (C^{(1)}, C^{(2)}, \dots, C^{(|V^*|)})$  such that for every  $1 \leq i \leq |V^*|$ , all vertices in  $C^{(i)}$  are ears in the subpolygon obtained by removing the vertices in  $\bigcup_{j=1}^{i-1} C^{(j)}$  from  $\mathcal{P}$ .*

## 6. RECONSTRUCTING $G_{\text{vis}}$

In the following, we assume that  $G_{\text{vis}}^*$  and the sequence  $\mathcal{C} = (C^{(1)}, C^{(2)}, \dots, C^{(|V^*|)})$  from Theorem 5.4 have already been determined. For all  $1 \leq i \leq |V^*|$ , we denote by




Fig. 5. We can count the vertices of  $C^{(i)}$  hidden from  $v_j$  by  $v_y$  by counting the vertices of  $C^{(i)}$  that form a reflex angle with  $v_j$  at  $v_y$  (light grey region) and repeating the method recursively on the other (non- $C^{(i)}$ ) vertices that form reflex angles with  $v_j$  at  $v_y$  (dark grey).

$G_{\text{vis}}^{(i)} = (V^{(i)}, E^{(i)})$  the subgraph of  $G_{\text{vis}}$  induced by  $\bigcup_{j=i}^{|V^*|} C^{(j)}$ . By definition of  $\mathcal{C}$ ,  $G_{\text{vis}}^{(i)}$  is the visibility graph of a subpolygon of  $\mathcal{P}$ , and we denote this subpolygon by  $\mathcal{P}^{(i)}$ . As  $C^{(|V^*|)} = C^*$ , by Lemma 5.1 we have that  $G_{\text{vis}}^{(|V^*|)}$  is the complete graph on  $n/|V^*|$  vertices. We will show that  $G_{\text{vis}}^{(i)}$  can be inferred from  $G_{\text{vis}}^{(i+1)}$ , suggesting a way to reconstruct  $G_{\text{vis}} = G_{\text{vis}}^{(1)}$ . First we need one more lemma that was used before in Bilò et al. [2012].

**Definition 6.1.** Let  $v_i, v_h$  be two vertices that do not see each other, and let  $v_b$  be the first vertex other than  $v_i$  on the (Euclidean) shortest path from  $v_i$  to  $v_h$  (and thus  $v_b$  is reflex). We say that  $v_h$  is *hidden from  $v_i$  by  $v_b$* .

**LEMMA 6.2.** Let  $G_{\text{vis}}^{(i+1)}$  be given, as well as a vertex  $v_j \in V^{(i)}$ , a vertex  $v_y \in V^{(i+1)}$  visible to  $v_j$  in  $\mathcal{P}$ , and the index  $b = O_{v_y}(v_j)$ . It is possible to determine the number of vertices in  $C^{(i)}$  hidden from  $v_j$  by  $v_y$  in  $\mathcal{P}$ .

**PROOF.** By construction, two vertices of  $\mathcal{P}^{(i)}$  see each other in  $\mathcal{P}$  if and only if they see each other in  $\mathcal{P}^{(i)}$ . In particular, the shortest path in  $\mathcal{P}$  between two vertices of  $\mathcal{P}^{(i)}$  only bends at vertices of  $\mathcal{P}^{(i+1)}$ , as the vertices of  $C^{(i)}$  are convex in  $\mathcal{P}^{(i)}$ . We can thus restrict ourselves to counting the number of vertices in  $C^{(i)}$  hidden from  $v_j$  by  $v_y$  in  $\mathcal{P}^{(i)}$ , using the fact that no vertex in  $C^{(i)}$  is hidden by another vertex of  $C^{(i)}$ .

We give an algorithm to count the number of vertices in  $C^{(i)}$  hidden from  $v_j$  by  $v_y$  in  $\mathcal{P}^{(i)}$  (Figure 5). Let  $H = H_{\text{direct}} \cup H_{\text{indirect}}$  be the set of these vertices, where  $H_{\text{direct}}$  are the ones visible to  $v_y$  and  $H_{\text{indirect}}$  are the ones not visible to  $v_y$ . Since  $b = O_{v_y}(v_j)$  is given, we know which arc of  $G_{\text{vis}}^*$  corresponds to  $(v_y, v_j)$ . Hence, by inspecting  $G_{\text{vis}}^*$ , we can obtain the arc labels of all arcs at  $v_y$  in  $G_{\text{vis}}^{(i)}$  that form a reflex angle with  $(v_y, v_j)$ . We can infer  $|H_{\text{direct}}|$ , as  $G_{\text{vis}}^*$  encodes to which class each arc label at  $v_y$  leads. It remains to show how to determine  $|H_{\text{indirect}}|$ .

Let  $U \subseteq V^{(i+1)}$  be the set of vertices of  $G_{\text{vis}}^{(i+1)}$  that are visible to  $v_y$  and form a reflex angle with  $v_j$  at  $v_y$ . Since  $G_{\text{vis}}^{(i+1)}$  is given and since  $v_y \in V^{(i+1)}$ , we can infer the identities of the vertices in  $U$ . Every vertex of  $H_{\text{indirect}}$  is hidden from  $v_y$  by exactly one vertex of  $U$ . Conversely, every vertex of  $C^{(i)}$  that is hidden from  $v_y$  by a vertex of  $U$  is part of  $H_{\text{indirect}}$ . We are given  $G_{\text{vis}}^{(i+1)}$ , and hence for every  $u \in U$ , we know the index  $b' = O_u(v_y)$ . We can thus use our algorithm recursively for  $v_y$  and every vertex  $u \in U \subseteq V^{(i+1)}$  to obtain  $H_{\text{indirect}}$ .  $\square$

LEMMA 6.3. *Let  $1 \leq i < |V^*|$ . It is possible to determine  $G_{\text{vis}}^{(i)}$  from  $G_{\text{vis}}^{(i+1)}$ .*

PROOF. The set of vertices  $V^{(i)}$  of  $G_{\text{vis}}^{(i)}$  is given by  $V^{(i)} = C^{(i)} \cup V^{(i+1)}$ . It remains to show how to construct  $E^{(i)}$ . Let  $A$  be the set of arcs in  $G_{\text{vis}}^{(i)}$  between vertices of  $C^{(i)}$  and  $V^{(i+1)}$ , and let  $B$  be the set of arcs between vertices of  $C^{(i)}$ . We will first show how to construct  $A$  using the information contained in  $G_{\text{vis}}^{(i+1)}$  and  $G_{\text{vis}}^*$ . After having determined  $A$ , we can apply the same approach to obtain  $B$ . This completes the proof, as  $E^{(i)} = E^{(i+1)} \cup A \cup B$ .

Note that every arc in  $G_{\text{vis}}^{(i)}$  has a counterpart of opposite orientation. To construct  $A$ , it is thus sufficient to consider  $e \in V^{(i+1)} \times C^{(i)}$  and show how to decide whether  $e \in A$  or  $e \notin A$ . Deciding which elements of  $C^{(i)} \times V^{(i+1)}$  are in  $A$  is then immediate. Equivalently, we can consider  $v_j \in V^{(i+1)}$  with degree  $d$  in  $G_{\text{vis}}^{(i)}$  and  $1 \leq k \leq d$  such that  $\text{vis}_{v_j}(k) \in C^{(i)}$  and show how to “identify”  $\text{vis}_{v_j}(k)$ —that is, how to find the index  $x$  such that  $v_x = \text{vis}_{v_j}(k)$  in  $G_{\text{vis}}^{(i)}$ . If  $k = 1$ , we have  $x = j + 1$ , and if  $k = d$ , we have  $x = j - 1$  because  $v_j$  sees its two neighbors on the boundary. Now assume that  $1 < k < d$ . We will show that  $v_y := \text{vis}_{v_j}(k - 1)$  cannot lie in  $C^{(i)}$ . For the sake of contradiction, assume that  $v_y \in C^{(i)}$ . In  $\mathcal{P}^{(i)}$ , all vertices of  $C^{(i)}$  are ears and thus convex. By Lemma 5.1 and  $i < |V^*|$ , there is more than one class and thus there is a vertex  $v_z \in \text{chain}(v_{y+1}, v_{x-1})$  that is not visible to  $v_j$ . The (Euclidean) shortest path in  $\mathcal{P}$  from  $v_j$  to  $v_z$  must visit  $v_x$  or  $v_y$ , which is a contradiction to both vertices being convex (Theorem 5.3). We can deduce that  $v_y \notin C^{(i)}$ , and thus  $(v_j, v_y) \in E^{(i+1)}$  is part of  $G_{\text{vis}}^{(i+1)}$  and has already been identified (i.e., the index  $y$  is known). Because of Lemma 5.1, it is sufficient to know how many vertices of  $C^{(i)}$  are in  $\text{chain}(v_{y+1}, v_{x-1})$  to find  $x$ . All of these vertices are hidden from  $v_j$  by  $v_y$ , again because  $v_x$  is convex. Either  $\text{chain}(v_{y+1}, v_{x-1})$  is empty or all vertices hidden from  $v_j$  by  $v_y$  are in  $\text{chain}(v_{y+1}, v_{x-1})$ . We can distinguish these cases by inspecting  $G_{\text{vis}}^*$ , as knowing  $G_{\text{vis}}^{(i+1)}$  allows us to infer which edge in  $G_{\text{vis}}^*$  corresponds to  $(v_y, v_j)$ . In the first case, there trivially are no vertices of  $C^{(i)}$  in  $\text{chain}(v_{y+1}, v_{x-1})$ . In the second case, since we know  $b = O_{v_y}(v_j)$  as  $v_j \in V^{(i+1)}$ , we can use Lemma 6.2 to count the number of vertices of  $C^{(i)}$  in  $\text{chain}(v_{y+1}, v_{x-1})$  hidden from  $v_j$  by  $v_y$  to determine  $x$  (see Figure 5). Once we have determined all arcs in  $A$ , we can easily obtain their labels by inspecting  $G_{\text{vis}}^*$ : for every vertex in  $V^{(i+1)}$ , the corresponding vertex of  $G_{\text{vis}}^*$  gives us the different arc labels that belong to arcs leading to vertices of  $C^{(i)}$ . Since we already identified all of those vertices, we know which label belongs to which arc.

Using the fact that the arcs in  $A$  have already been identified, we can apply the exact same approach to construct  $B$ . More precisely, for each  $v_j \in C^{(i)}$  with degree  $d$ , and  $1 < k < d$  such that  $v_x := \text{vis}_{v_j}(k)$  is in  $C^{(i)}$ , we can infer the index  $x$  by counting (Lemma 6.2) the number of vertices in  $C^{(i)}$  hidden from  $v_j$  by  $v_y := \text{vis}_{v_j}(k - 1)$ . We can do this because again  $v_y \notin C^{(i)}$ , and because the edge  $(v_y, v_j) \in A$  has been identified before.  $\square$

Theorem 3.5 follows directly from Theorem 5.4, Lemma 6.3, and the fact that  $G^{(|V^*|)}$  is the complete graph on  $n/|V^*|$  vertices.

## 7. OUTLOOK

We have given a visibility graph reconstruction algorithm for an agent that is able to distinguish convex from reflex angles. The algorithm first determines the minimum base graph, then finds a class that forms a clique and starting from this clique constructs the visibility graph by repeatedly adding classes of ears and determining the induced edges of the visibility graph.

Note that knowledge of an upper bound  $\bar{n}$  on the number of vertices is required only in the first step to find the minimum base graph. In addition, the exponential running time of our algorithm is caused by this step. On the other hand, we do not rely on the geometric meaning of the angle data to find the minimum base graph at all. It would be interesting to see whether a specialized method for finding the base graph exists that makes use of the angle data to avoid an exponential running time or to eliminate the need to know  $\bar{n}$ .

Table I lists other configurations of sensors for which the reconstruction problem remains open. Most prominently, we do not even know whether knowledge of  $\bar{n}$  alone suffices.

## ACKNOWLEDGMENTS

We would like to thank our reviewers, who invested significant effort to help us improve the article.

## REFERENCES

- N. Agmon and D. Peleg. 2007. Fault-tolerant gathering algorithms for autonomous mobile robots. *SIAM Journal on Computing* 36, 1, 56–82.
- H. Ando, Y. Oasa, I. Suzuki, and M. Yamashita. 1999. Distributed memoryless point convergence algorithm for mobile robots with limited visibility. *IEEE Transactions on Robotics and Automation* 15, 5, 818–828.
- D. Angluin. 1980. Local and global properties in networks of processors. In *Proceedings of the 12th Annual ACM Symposium on Theory of Computing*. 82–93.
- D. Bilò, Y. Disser, M. Mihalák, S. Suri, E. Vicari, and P. Widmayer. 2012. Reconstructing visibility graphs with simple robots. *Theoretical Computer Science* 444, 52–59.
- P. Boldi and S. Vigna. 2002. Fibrations of graphs. *Discrete Mathematics* 243, 1–3, 21–66.
- J. Brunner, M. Mihalák, S. Suri, E. Vicari, and P. Widmayer. 2008. Simple robots in polygonal environments: A hierarchy. In *Proceedings of the 4th International Workshop on Algorithmic Aspects of Wireless Sensor Networks*. 111–124.
- J. Chalopin, S. Das, Y. Disser, M. Mihalák, and P. Widmayer. 2011. Mapping simple polygons: How robots benefit from looking back. *Algorithmica* 65, 1, 43–59.
- J. Chalopin, E. Godard, Y. Métivier, and R. Ossamy. 2006. Mobile agent algorithms versus message passing algorithms. In *Proceedings of the 10th International Conference on the Principles of Distributed Systems*. 187–201.
- R. Cohen and D. Peleg. 2008. Convergence of autonomous mobile robots with inaccurate sensors and movements. *SIAM Journal on Computing* 38, 1, 276–302.
- S. Das, P. Flocchini, S. Kutten, A. Nayak, and N. Santoro. 2007. Map construction of unknown graphs by multiple agents. *Theoretical Computer Science* 385, 1–3, 34–48.
- D. Dereniowski and A. Pelc. 2012. Drawing maps with advice. *Journal of Parallel and Distributed Computing* 72, 2, 132–143.
- Y. Disser, S. K. Ghosh, M. Mihalák, and P. Widmayer. 2013a. Mapping a polygon with holes using a compass. *Theoretical Computer Science* 553, 106–113.
- Y. Disser, M. Mihalák, and P. Widmayer. 2011. A polygon is determined by its angles. *Computational Geometry: Theory and Applications* 44, 418–426.
- Y. Disser, M. Mihalák, and P. Widmayer. 2013b. Mapping polygons with agents that measure angles. In *Proceedings of the 10th International Workshop on the Algorithmic Foundations of Robotics (WAFR)*. 415–425.
- A. Ganguli, J. Cortés, and F. Bullo. 2006. Distributed deployment of asynchronous guards in art galleries. In *Proceedings of the 2006 American Control Conference*. 1416–1421.
- M. Katsev, A. Yershova, B. Tovar, R. Ghrist, and S. M. LaValle. 2011. Mapping and pursuit-evasion strategies for a simple wall-following robot. *IEEE Transactions on Robotics* 27, 1, 113–128.
- D.-T. Lee and F. P. Preparata. 1984. Euclidean shortest paths in the presence of rectilinear barriers. *Networks* 14, 3, 393–410.
- J. Lin, A. Morse, and B. Anderson. 2007a. The multi-agent rendezvous problem. Part 1: The synchronous case. *SIAM Journal on Control and Optimization* 46, 6, 2096–2119.
- J. Lin, A. Morse, and B. Anderson. 2007b. The multi-agent rendezvous problem. Part 2: The asynchronous case. *SIAM Journal on Control and Optimization* 46, 6, 2120–2147.

- P. Panaite and A. Pelc. 1999. Exploring unknown undirected graphs. *Journal of Algorithms* 33, 281–295.
- S. Suri, E. Vicari, and P. Widmayer. 2008. Simple robots with minimal sensing: From local visibility to global geometry. *International Journal of Robotics Research* 27, 9, 1055–1067.
- I. Suzuki and M. Yamashita. 1999. Distributed anonymous mobile robots: Formation of geometric patterns. *SIAM Journal on Computing* 28, 4, 1347–1363.
- M. Yamashita and T. Kameda. 1996. Computing on anonymous networks: Part—characterizing the solvable cases. *IEEE Transactions on Parallel and Distributed Systems* 7, 1, 69–89.

Received July 2011; revised March 2014; accepted September 2014