

NAME(S)	Rudolf-E.Hoffmann	DATE	M	D	Y
		November	Dec	1	81
TOPIC	Continuous posets: Injective hull and MacNeille completion				

REFERENCE Rudolf-E.Hoffmann, Continuous posets: Injective hull and MacNeille completion, manuscript (to be circulated, I hope soon, via the informal Proceedings of the second workshop on continuous lattices and continuous posets, Bremen, May 8-10, 1981)

In [H] 3.14 it was shown that the continuous posets endowed with their Scott topology are precisely those sober spaces which have an injective hull in the category \underline{T}_0 of T_0 -spaces and continuous maps (or, equivalently, in the category Sob of sober spaces and continuous maps). The injective hull is, on the level of the specialization order, a join-dense completion of a continuous poset into a continuous lattice. On the other hand, M.Erné ([E₁] p.54) has provided an example of a continuous poset whose MacNeille completion (object) fails to be a continuous lattice. Recall that the MacNeille completion is the smallest completion of a poset contained in every other completion. Some of the concepts used below have been introduced by M.Erné in [E₁], [E₂]:

For a poset (=partially ordered set) P the following conditions (a), (b), (c), (d), (e) are equivalent: (a) P is up-complete and for every $p \in P$, $\{x \in P \mid x \ll^* p\}$ is non-empty and up-directed with supremum p (where $a \ll^* b$ iff whenever the normal ideal, or "cut", generated by a Frink ideal F of P contains b , then F contains a - cf. [E₁] p.48). (b) P is a continuous poset and $a \ll^* b$ in P is equivalent to $a \ll b$. (c) P is a continuous poset and the MacNeille completion $e: P \hookrightarrow M$ (consisting of the normal ideals of P) enjoys the following properties: M is a continuous lattice and $e: (P, \sigma_P) \rightarrow (M, \sigma_M)$ is an embedding with regard to the Scott topologies σ_P and σ_M of P and M , respectively. (d) P is a continuous poset and the injective hull $(P, \sigma_P) \hookrightarrow (L, \sigma_L)$ in the category \underline{T}_0 of T_0 -spaces and

continuous maps induces the MacNeille completion of P .

(e) P is a continuous poset, the MacNeille completion object M of P is a continuous lattice, \ll^* interpolates in P (i.e. whenever $a \ll^* b$ in P , then $a \ll^* c$ and $c \ll^* b$ for some $c \in P$), and the union of any finite number of strongly Scott-closed subsets of P is strongly Scott-closed (a strongly Scott-closed subset K of P is a lower set of P such that whenever F is a Frink ideal of P contained in K , then the normal ideal generated by F in P is contained in K - cf. $[E_1]$ p.49), [or equivalently, every Scott-closed set is strongly Scott-closed]. - By an example, due to M.ERNÉ ($[E_1]$ p.53) it is seen, then, that the MacNeille completion $P \hookrightarrow M$ of a continuous poset P need not be the underlying order-embedding of the injective hull of (P, σ_P) in the category \underline{T}_0 , even if M is a continuous lattice. - On the other hand, by an example due to G. Markowsky ($[M]$ p.304) it is shown that the MacNeille completion object of an up-complete poset P may be a continuous lattice, even if P fails to be a continuous poset. - Furthermore, a new representation of the injective hull of a continuous poset P (or rather of a T_0 -space X with an injective hull) is given which is in terms of "minimal" Frink ideals of P (resp., of X in its specialization order), viz. minimal with regard to having the same Scott closure. (This has been instrumental in the study of the MacNeille completion of P reported above.)

Bibliography:

- BH Banaschewski, B. and R.-E. Hoffmann (ed.): Continuous Lattices. Proc., Bremen 1979. Springer-Verlag, Lecture Notes in Math. 871: Berlin-Heidelberg-New York, 1981.
- C Gierz, G., K.H. Hofmann, K. Keimel, J.D. Lawson, M. Mislove and D.S. Scott: A Compendium of Continuous Lattices. Springer-Verlag: Berlin-Heidelberg-New York, 1980.
- E_1 Erné, M.: Completion-invariant extension of the concept of continuous lattices. In: [BH], pp.45-60.
- E_2 Erné, M.: Scott convergence and Scott topology in partially ordered sets, II. In: [BH], pp.61-96.

- H Hoffmann, R.-E.: Projective sober spaces. In: [BH], pp. 125-158 .
- M Markowsky, G.: A motivation and generalization of Scott's notion of a continuous lattice. Preprint (1977). Revised version in: [BH], pp.298-307.

Anyone interested in a copy of the manuscript, before the above mentioned Proceedings are distributed, may write to me.-

R.-E.Hoffmann
Fachbereich Mathematik
Universität Bremen
2800 Bremen
Federal Republic of Germany